

**CLEANTECH**



**PRESSURE WASHER**

**WATER PUMP**

- 1** Pressure Washer  
Washer
- 2** Swimming Pool Cleaner
- 3** Vacuum Cleaner
- 4** Pet Cleaner
- 5** Accessory



***01 Pressure Washer***



**new**



- 

Multi-Piston  
Triangular Pump
- 

Powerful  
Water Pressure
- 

Variable Spraying  
Water Types
- 

Long Life Time
- 

Quick  
Connector Plug
- 

Water and  
Power Linkage
- 

Dual-use for Connecting  
and Suctioning

## KLC-ATM

AC High Pressure  
Washer

### Model Comparison

Model	KLC-ATM1400
Rated/Max Pressure(Bar)	70/100
Rated/Max Flow(L/min)	5/7.5
Rated/Max Power(W)	1400
Vol/Fre	AC100-240V~50/60Hz
Motor Type	Carbon Brush Motor
GW(Kg)	5
Product Size(mm)	248 × 161 × 368
Carton Size(cm)	258 × 198 × 386
Qty(20/40GP 40HQ)	1330 / 2600 / 3304

## KLC-BT

AC High Pressure Washer



F01



H01



E10

D03



G10



Water Cooling  
3 Piston Pump



Powerful  
Water  
Pressure



Dual-use for  
Connecting  
and Suctioning



Quick  
Connector



Long Life Time



Water and  
Power Linkage



Variable Spraying  
Water Types

new



### Model Comparison

Model	KLC-BT1400
Rated/Max Pressure(Bar)	70/100
Rated/Max Flow(L/min)	5/7.5
Rated/Max Power(W)	1400
Vol/Fre	AC100-240V-50/60Hz
Motor Type	Carbon Brush Motor
GW(Kg)	5
Product Size(mm)	299 × 174 × 260
Carton Size(cm)	395 × 195 × 284
Qty(20GP/40GP/40HQ)	1078 / 2100 / 2700

Carbon Brush Motor



Multi-Piston  
Triangular Pump



Dual-use for Connecting  
and Suctioning



Low Noise



Long Life Time



## Model Comparison

<i>Model</i>	KLC-SHIELD105
<i>Power(W)</i>	1200
<i>Vol/Fre</i>	230V/50-60Hz
<i>Max.pressure(Bar)</i>	105
<i>Working Pressure(Bar)</i>	70
<i>Flow(L/Min)</i>	5.5/6.5
<i>Gross Weight(Kg)</i>	9
<i>Packing Size(cm)</i>	50×37×52
<i>Qty(20/40GP 40HQ)</i>	260/560/660



Multi-Piston  
Triangular Pump



Dual-use for Connecting  
and Suctioning



Low Noise



Long Life Time



## Model Comparison

<i>Model</i>	KLC-SHIELD120
<i>Power(W)</i>	1400
<i>Vol/Fre</i>	230V/50-60Hz
<i>Max.pressure(Bar)</i>	120
<i>Working Pressure(Bar)</i>	80
<i>Flow(L/Min)</i>	5.5/6.5
<i>Gross Weight(Kg)</i>	9
<i>Packing Size(cm)</i>	50×37×52
<i>Qty(20/40GP 40HQ)</i>	260/560/660



Multi-Piston  
Triangular Pump



Dual-use for Connecting  
and Suctioning



Low Noise



Long Life Time



## KLC-SHIELD

Carbon Brush Motor



### Model Comparison

Model	KLC-SHIELD135	KLC-SHIELD150
Power(W)	1600	1800
Vol/Fre	230V/50-60Hz	230V/50-60Hz
Max.pressure(Bar)	135	150
Working Pressure(Bar)	90	100
Flow(L/Min)	5.5/6.5	5.5/6.5
Gross Weight(Kg)	10	11
Packing Size(cm)	50×37×52	50×37×52
Qty(20/40GP 40HQ)	260/560/660	260/560/660



Carbon Brush Motor



Multi-Piston  
Triangular Pump



Dual-use for Connecting  
and Suctioning



Low Noise



Long Life Time



## Model Comparison

<i>Model</i>	<i>KLC-IRON105</i>
<i>Power(W)</i>	<i>1200</i>
<i>Vol/Fre</i>	<i>230V/50-60Hz</i>
<i>Max.pressure(Bar)</i>	<i>105</i>
<i>Working Pressure(Bar)</i>	<i>70</i>
<i>Flow(L/Min)</i>	<i>5.5/6.5</i>
<i>Gross Weight(Kg)</i>	<i>6</i>
<i>Packing Size(cm)</i>	<i>35x31x43</i>
<i>Qty(20GP/40GP/40HQ)</i>	<i>550/1145/1444</i>



Multi-Piston  
Triangular Pump



Dual-use for Connecting  
and Suctioning



Low Noise



Long Life Time



## Model Comparison

<i>Model</i>	<i>KLC-IRON120</i>
<i>Power(W)</i>	<i>1400</i>
<i>Vol/Fre</i>	<i>230V/50-60Hz</i>
<i>Max.pressure(Bar)</i>	<i>120</i>
<i>Working Pressure(Bar)</i>	<i>80</i>
<i>Flow(L/Min)</i>	<i>5.5/6.5</i>
<i>Gross Weight(Kg)</i>	<i>7</i>
<i>Packing Size(cm)</i>	<i>35x31x43</i>
<i>Qty(20GP/40GP/40HQ)</i>	<i>550/1145/1444</i>



Multi-Piston  
Triangular Pump



Dual-use for Connecting  
and Suctioning



Low Noise



Long Life Time



## Model Comparison

Model	KLC-IRON135	KLC-IRON150
Power(W)	1600	1800
Vol/Fre	230V/50-60Hz	230V/50-60Hz
Max.pressure(Bar)	135	150
Working Pressure(Bar)	90	100
Flow(L/Min)	5.5/6.5	5.5/6.5
Gross Weight(Kg)	9	10
Packing Size(cm)	42x31x43	42x31x43
Qty(20GP/40GP/40HQ)	462/962/1212	462/962/1212

Induction Motor



Multi-Piston  
Triangular Pump



Dual-use for Connecting  
and Suctioning



Low Noise



Long Life Time



## Model Comparison

Model	STG-TRAVEL-80A	STG-TRAVEL-105A	STG-TRAVEL-135A
Power(W)	1000	1200	1400
Vol/Fre	230V/50Hz	230V/50Hz	230V/50Hz
Max.pressure(Bar)	80	105	135
Working Pressure(Bar)	55	70	90
Flow(L/Min)	6.5/7.5	6.5/7.5	5.5/6.5
Gross Weight(Kg)	10	12	15
Packing Size(cm)	35.5×34×60	35.5×34×60	35.5×34×60
Qty(20/40GP 40HQ)	399/826/920	399/826/920	399/826/920

Induction Motor



Multi-Piston  
Triangular Pump



Dual-use for Connecting  
and Suctioning



Low Noise



Long Life Time



## Model Comparison

Model	STG-TRAVEL-80B	STG-TRAVEL-105B	STG-TRAVEL-135B
Power(W)	1000	1200	1400
Vol/Fre	230V/50Hz	230V/50Hz	230V/50Hz
Max.pressure(Bar)	80	105	135
Working Pressure(Bar)	55	70	90
Flow(L/Min)	6.5/7.5	6.5/7.5	5.5/6.5
Gross Weight(Kg)	10	12	15
Packing Size(cm)	35.5 × 34 × 60	35.5 × 34 × 60	35.5 × 34 × 60
Qty(20/40GP 40HQ)	399/826/920	399/826/920	399/826/920



Multi-Piston  
Triangular Pump



Dual-use for Connecting  
and Suctioning



Low Noise



Long Life Time



## Model Comparison

Model	STG-TRAVEL-800	STG-TRAVEL-1050	STG-TRAVEL-1350
Power(W)	1000	1200	1400
Vol/Fre	230V/50Hz	230V/50Hz	230V/50Hz
Max.pressure(Bar)	80	105	135
Working Pressure(Bar)	55	70	90
Flow(L/Min)	6.5/7.5	6.5/7.5	5.5/6.5
Gross Weight(Kg)	10	12	15
Packing Size(cm)	35.5×34×60	35.5×34×60	35.5×34×60
Qty(20/40GP 40HQ)	399/826/920	399/826/920	399/826/920

## STG-MM501

AC High Pressure Washer



D03



E10



F10



G10



H02



Variable Spraying Water Types



Dual-use for Connecting and Suctioning



Large Flow



Water and Power Linkage



Low Noise



Long Life Time



Induction Motor



Powerful Water Pressure

**new**



### Model Comparison

Model	STG-MM501-1400	STG-MM501-2000
Rated/Max Pressure(Bar)	70/105	100/150
Rated/Max Flow(L/min)	6.5/10	7/10.5
Rated/Max Power(W)	1400/2100	2000/3000
Vol/Fre	AC100-240V~50/60Hz	AC100-240V~50/60Hz
Motor Type	Induction Motor	Induction Motor
GW(Kg)	9	11
Product Size(mm)	360 × 164 × 246	360 × 164 × 246
Carton Size(cm)	410 × 220 × 300	410 × 220 × 300
Prssure Display	Optional	Standard
Qty(20GP/40GP/40HQ)	980 / 1855 / 2385	980 / 1855 / 2385



## Model Comparison

Model	STG-ROCK-80C	STG-ROCK-105C	STG-ROCK-135C
Power(W)	1000	1200	1400
Vol/Fre	230V/50Hz	230V/50Hz	230V/50Hz
Max.pressure(Bar)	80	105	135
Working Pressure(Bar)	55	70	90
Flow(L/Min)	6.5/7.5	6.5/7.5	5.5/6.5
Gross Weight(Kg)	10	12	15
Packing Size(cm)	48.5×28.5×34.4	48.5×28.5×34.4	48.5×28.5×34.4
Qty(20/40GP 40HQ)	624/1248/1344	624/1248/1344	624/1248/1344



Multi-Piston  
Triangular Pump



Dual-use for Connecting  
and Suctioning



Low Noise



Long Life Time





Multi-Piston  
Triangular Pump



Dual-use for Connecting  
and Suctioning



Low Noise



Long Life Time

Induction Motor



## Model Comparison

Model	STG-ROCK-80U	STG-ROCK-105U	STG-ROCK-135U
Power(W)	1000	1200	1400
Vol/Fre	230V/50Hz	230V/50Hz	230V/50Hz
Max.pressure(Bar)	80	105	135
Working Pressure(Bar)	55	70	90
Flow(L/Min)	6.5/7.5	6.5/7.5	5.5/6.5
Gross Weight(Kg)	10	12	15
Packing Size(cm)	41×30×32.5	41×30×32.5	41×30×32.5
Qty(20/40GP 40HQ)	650/1400/1650	650/1400/1650	650/1400/1650



## Model Comparison

Model	STG-ROCK-80X	STG-ROCK-105X	STG-ROCK-135X
Power(W)	1000	1200	1400
Vol/Fre	230V/50Hz	230V/50Hz	230V/50Hz
Max.pressure(Bar)	80	105	135
Working Pressure(Bar)	55	70	90
Flow(L/Min)	6.5/7.5	6.5/7.5	5.5/6.5
Gross Weight(Kg)	10	12	15
Packing Size(cm)	39.5×28×32.5	39.5×28×32.5	39.5×28×32.5
Qty(20/40GP 40HQ)	882/1827/2088	882/1827/2088	882/1827/2088



Multi-Piston  
Triangular Pump



Dual-use for Connecting  
and Suctioning



Low Noise



Long Life Time



### Model Comparison

Model	STG-ROCK-K3	STG-ROCK-K4
Power(W)	1000	1200
Vol/Fre	230V/50Hz	230V/50Hz
Max.pressure(Bar)	80	80
Working Pressure(Bar)	20-55	20-55
Flow(L/Min)	6.5/7.5	8.0/9.9
Gross Weight(Kg)	9	12
Packing Size(cm)	40.5×22.5×29.5	40.5×22.5×29.5
Qty(20/40GP 40HQ)	866/1866/2200	866/1866/2200



Multi-Piston  
Triangular Pump



Dual-use for Connecting  
and Suctioning



Low Noise



Long Life Time



Induction Motor



## Model Comparison

Model	STG-ROCK-80E	STG-ROCK-105E	STG-ROCK-135E
Power(W)	1000	1200	1400
Vol/Fre	230V/50Hz	230V/50Hz	230V/50Hz
Max.pressure(Bar)	80	105	135
Working Pressure(Bar)	55	70	90
Flow(L/Min)	6.5/7.5	6.5/7.5	5.5/6.5
Gross Weight(Kg)	9	12	15
Packing Size(cm)	40.5×30.5×28.5	40.5×30.5×28.5	40.5×30.5×28.5
Qty(20/40GP 40HQ)	882/1827/2088	882/1827/2088	882/1827/2088



Multi-Piston  
Triangular Pump



Dual-use for Connecting  
and Suctioning



Low Noise



Long Life Time

## STG-ROCK-50L

Induction Motor



### Model Comparison

Model	STG-ROCK-50L
Power(W)	650
Vol/Fre	230V/50Hz
Max.pressure(Bar)	50
Working Pressure(Bar)	35
Flow(L/Min)	5.5/6.5
Gross Weight(Kg)	7
Packing Size(cm)	40.5×21×31
Qty(20/40GP 40HQ)	866/1866/2200



Multi-Piston  
Triangular Pump



Dual-use for Connecting  
and Suctioning



Low Noise



Long Life Time

# SC-A

Commercial Washers

## Model Comparison

Model	SC-A
Power(W)	1200
Vol/Fre	230V/50Hz
Max.pressure(Bar)	80
Working Pressure(Bar)	55
Flow(L/Min)	8.0/9.0
Gross Weight(Kg)	16
Packing Size(cm)	44×37×42
Qty(20/40GP 40HQ)	371/800/942



Multi-Piston  
Triangular Pump



Dual-use for Connecting  
and Suctioning



Low Noise



Long Life Time

#### Model Comparison

<i>Model</i>	SC-B
<i>Power(W)</i>	1800
<i>Vol/Fre</i>	230V/50Hz
<i>Max.pressure(Bar)</i>	120
<i>Working Pressure(Bar)</i>	80
<i>Flow(L/Min)</i>	8.0/9.0
<i>Gross Weight(Kg)</i>	19
<i>Packing Size(cm)</i>	52 × 31.8 × 32.3
<i>Qty(20/40GP 40HQ)</i>	539/1078/1232



Multi-Piston  
Triangular Pump



Dual-use for Connecting  
and Suctioning



Low Noise



Long Life Time



Multi-Piston  
Triangular Pump



Dual-use for Connecting  
and Suctioning



Low Noise



Long Life Time



### Model Comparison

Model	SC-C
Power(W)	2000
Vol/Fre	230V/50Hz
Max.pressure(Bar)	105
Working Pressure(Bar)	70
Flow(L/Min)	13/14
Gross Weight(Kg)	35
Packing Size(cm)	64.7×41.8×40.5
Qty(20/40GP 40HQ)	236/509/600





## SC-D

Commercial Washers

### Model Comparison

<i>Model</i>	SC-D
<i>Power(W)</i>	3000
<i>Vol/Fre</i>	230V/50Hz
<i>Max.pressure(Bar)</i>	135
<i>Working Pressure(Bar)</i>	90
<i>Flow(L/Min)</i>	15/16
<i>Gross Weight(Kg)</i>	52
<i>Packing Size(cm)</i>	69.5×54×60.5
<i>Qty(20/40GP 40HQ)</i>	113/243/186

## PDL01

Multifunctional  
High Pressure washer



Type-C  
Quick Charge



21700 High-power  
Density Battery Cell



Lightweight  
and Compact



Hidden  
Screw Design



Variable Spraying  
Water Types



Cordless Design



Multiple Modes



### Model Comparison

Model	PDL01-150	PDL01-300
Rated/Max Pressure(Bar)	15/25	24/35
Rated/Max Flow(L/min)	2.5/4	3.5/5
Rated/Max Power(W)	150/200	300/400
Battery	12V 4Ah	12V 8Ah
Motor Type	Carbon Brush Motor	Carbon Brush Motor
GW(Kg)	4	4.5
Product Size(mm)	330 × 329 × 137.5	330 × 329 × 137.5
Carton Size(cm)	336 × 336 × 145	336 × 336 × 145
Multiple Modes	4	4
Qty(20GP/40GP/40HQ)	1428 / 3150 / 3780	1428 / 3150 / 3780



***Battery Platform  
Pressure Washer***



## WF40

DC High Pressure Washer



Cordless Design



Dual-use for  
Connecting  
and Suctioning



Water and  
Power Linkage



Quick Connector Plug



Variable Spraying  
Water Types



Powerful  
Water Pressure

### Model Comparison

Model	WF40
Rated/Max Pressure(Bar)	35/60
Rated/Max Flow(L/min)	2.5/4
Rated/Max Power(W)	330/500
Battery	40V 2Ah
Motor Type	Carbon Brush Motor
GW(Kg)	3
Product Size(mm)	369 × 74 × 271
Carton Size(cm)	355 × 155 × 220
Qty20/40GP 40HQ	2016/4104/5472



NF10

E10

S01

BO2

R26

## DC High Pressure Washer



Cordless Design



Dual-use for Connecting and Suctioning



Water and Power Linkage



Quick Connector Plug



Variable Spraying Water Types

### Model Comparison

Model	GZL20	GZL40	GZL20-BL
Rated/Max Pressure(Bar)	24/35	35/50	35/50
Rated/Max Flow(L/min)	4/6	4/6	4/6
Rated/Max Power(W)	300/400	350/500	300/400
Battery	20V 2Ah	40V 2Ah	20V 4Ah
Motor Type	Carbon Brush Motor		Brushless Motor
GW(Kg)	3		
Product Size(mm)	373 × 74 × 280		
Carton Size(cm)	355 × 155 × 220		
Qty20/40GP 40HQ	2016/4104/5472		

## JG20

### DC High Pressure Washer



D03



E10



F02



S01



B02



R26



Cordless Design



Dual-use for Connecting and Suctioning



Water and Power Linkage



Quick Connector Plug



Variable Spraying Water Types



Large Flow

### Model Comparison

Model	JG20	JG40	JG20-BL
Rated/Max Pressure(Bar)	24/35	35/50	35/50
Rated/Max Flow(L/min)	4/6	4/6	4/6
Rated/Max Power(W)	300/400	350/500	300/400
Battery	20V 2Ah	40V 2Ah	20V 4Ah
Motor Type	Carbon Brush Motor		Brushless Motor
GW(Kg)		3	
Product Size(mm)		373 × 74 × 280	
Carton Size(cm)		355 × 155 × 220	
Qty20/40GP 40HQ		2016/4104/5472	



Cordless Design



Dual-use for Connecting and Suctioning



Water and Power Linkage



Quick Connector Plug



Variable Spraying Water Types



Large Flow

## BF40

DC High Pressure Washer

### Model Comparison

<i>Model</i>	<i>BF40</i>
<i>Rated/Max Pressure(Bar)</i>	<i>60/70</i>
<i>Rated/Max Flow(L/h)</i>	<i>180/200</i>
<i>Battery</i>	<i>40V 2Ah</i>



Cordless Design



Variable Spraying  
Water Types



Lightweight  
and Compact





Hidden  
Screw Design



Type-C  
Quick Charge



21700 High-power  
Density Battery Cell



## ELF2

### DC High Pressure Washer

#### Model Comparison

Model	ELF12
Rated Pressure(Bar)	15
Rated/Max Flow(L/min)	2.5/4
Rated Power(W)	150
Battery	12V 4Ah
Motor Type	Carbon Brush Motor
GW(Kg)	1.5
Product Size(mm)	62 × 75 × 117
Carton Size(cm)	188 × 153 × 170
Qty(20GP/40GP/40HQ)	5207 / 10164 / 13552





***02 Swimming  
pool Cleaner***



## JY-1010


Swimming Pool  
Cleaning Robot




- Super Suction
- Double Filter
- Effective Filtration
- Easy To Release & Washing
- Mode Preset
- Disinfection

### Model Comparison

Model	JY-1010
Product Dimension	428 x 400 x 280 mm
Product Weight	About 9.5 kg, Controller 2kg
Cleaning Range	100m <sup>2</sup>
Floating Powercord Length	17m
Output Voltage	24V DC
Output Current	4.5A
Input Voltage	230/115V AC
Frequency	50/60Hz
Power	130W
IP Class	IP68




POWERFUL SUCTION  
WIDE AREA VACUUM



CLEANS WALLS,  
BOTTOM AND WATERLINE



FLOATING WIRE  
PREVENTS TANGLING



CLEANING WHEEL BRUSH  
QUICK RELEASE


## JY-1011

Swimming Pool  
Cleaning Robot




### Model Comparison


<i>Model</i>	JY-1010
<i>Product Dimension</i>	428 x 400 x 280 mm
<i>Product Weight</i>	About 9.5 kg, Controller 2kg
<i>Cleaning Range</i>	100m <sup>2</sup>
<i>Floating Powercord Length</i>	25m
<i>Output Voltage</i>	24V DC
<i>Output Current</i>	4.5A
<i>Input Voltage</i>	230/115V AC
<i>Frequency</i>	50/60Hz
<i>Power</i>	130W
<i>IP Class</i>	IP68




**POWERFUL SUCTION  
WIDE AREA VACUUM**



**CLEANS WALLS,  
BOTTOM AND WATERLINE**



**FLOATING WIRE  
PREVENTS TANGLING**



**CLEANING WHEEL BRUSH  
QUICK RELEASE**


## JY-1020

Swimming Pool  
Cleaning Robot




### Model Comparison

<i>Model</i>	JY-1020
<i>Product dimensions</i>	428 x 400 x 280 mm
<i>Packaging dimensions</i>	480 x 450 x 530 mm
<i>Product weight</i>	9.5 kg
<i>Filter precision</i>	5um
<i>Length of the floating power cable</i>	3m
<i>Filtration rate</i>	>20 m <sup>3</sup> /h
<i>Output voltage</i>	24V DC
<i>Output current</i>	4A-5A
<i>Battery Capacity</i>	12000mah
<i>Working hours</i>	>3.5h
<i>Charging time</i>	4 h
<i>Power</i>	MAX 130W
<i>Waterproof level of control box</i>	IP68
<i>Waterproof level of motor box</i>	IP68



**POWERFUL SUCTION  
WIDE AREA VACUUM**



**CLEANS WALLS,  
BOTTOM AND WATERLINE**



**FLOATING WIRE  
PREVENTS TANGLING**



**CLEANING WHEEL BRUSH  
QUICK RELEASE**

## Model Comparison



- Compact&portable design,easy to carry.
- Locked rotor, over-voltage, short circuit and low voltage protection.
- 1.8L filter cavity,can store a lot of garbage at one time
- Low noise

<i>Model</i>	<i>PCT403T-L</i>
<i>Rated Power</i>	<i>40W</i>
<i>Battery Capacity</i>	<i>18V 2000mAh</i>
<i>Max.Pump Rate</i>	<i>4200l/h</i>
<i>Max.Grain Size</i>	<i>25mm</i>
<i>Max.Subersible Depth</i>	<i>3m</i>
<i>Continuons Working Time</i>	<i>60Min</i>
<i>Battery Charging Time</i>	<i>90Min</i>
<i>Adjustable telescopic handle</i>	<i>1.2m-2.2m</i>
<i>Qty in carton box</i>	<i>2pcs</i>
<i>Master carton box size</i>	<i>120x35x50cm</i>
<i>Master carton box gross weight</i>	<i>27.6kg</i>
<i>Qty/20'GP</i>	<i>232pcs</i>



60 Mins




IP X8



Telescopic



3kg



## Model Comparison

<i>Model</i>	PCT3501T
<i>Rated Power</i>	350W
<i>Vol/Fre</i>	230V/50Hz
<i>Max. Pump Rate</i>	8000l/h
<i>Max. Grain Size</i>	32mm
<i>Max. Subersible Depth</i>	5m

## CLPXXX2F

Sand Cylinder Pump

- UV resistance.
- Sintered Graphite Mechanical Seal, stable and reliable
- Water-Proof and Insulative Shaft Seal, safe and reliable



- 1、Symmetric channel, stable and reliable pressure-bearing
- 2、Anti-turbulence design of valve body channel, low loss

Function: Filtration, back-washing, flushing, wastewater, circulation, shutdown, anti-freeze.



Detachable pump base and barrel base.

### Model Comparison


Model	CLP2502F	CLP4002F
Rated Power(W)	250	400
Vol/Fre	220-240V/50Hz	220-240V/50Hz
Max.Pump Height(m)	7.5	10
Max.Pump Rate(l/h)	7900	10000
Max.Grain Size(mm)	2.5	2.5
Sand Tank Size	12"	12"



## CLPKXX2AF

### Sand Cylinder Pump

- One click on/off;
- Digital timer automatically turns pump on and off each day and can be set to run for 1 to 20 hours.



- UV resistance.
- Sintered Graphite Mechanical Seal stable and reliable
- Water-Proof and Insulative Shaft Seal, safe and reliable

### Model Comparison

Model	CLP2502F	CLP4002F
Rated Power(W)	250	400
Vol/Fre	220-240V/50Hz	220-240V/50Hz
Max.Pump Height(m)	7.5	10
Max.Pump Rate(l/h)	7900	10000
Max.Grain Size(mm)	2.5	2.5
Sand Tank Size	12"	12"





## CLPKXX3F

Sand Cylinder Pump

### Model Comparison



Model	CLP2503F	CLP4003F	CLP5503F
Rated Power(W)	250	400	250
Vol/Fre	220-240V/50Hz	220-240V/50Hz	220-240V/50Hz
Max.Pump Height(m)	7.5	10	12
Max.Pump Rate(l/h)	7900	10000	13000
Max.Grain Size(mm)	2.5	2.5	2.5
Sand Tank Size	12"	12"	12"



## CLPKXX3AF

Sand Cylinder Pump



### Model Comparison

Model	CLP2503F	CLP4003F	CLP5503F
Rated Power(W)	250	400	250
Vol/Fre	220-240V/50Hz	220-240V/50Hz	220-240V/50Hz
Max.Pump Height(m)	7.5	10	12
Max.Pump Rate(l/h)	7900	10000	13000
Max.Grain Size(mm)	2.5	2.5	2.5
Sand Tank Size	12"	12"	12"





# Q400206A

Pool Cover Pump

## Model Comparison

Model	Q1/4HP206	Q400206A
Rated Power	1/4HP	400W
Vol/Fre	110-120V/60Hz	230V/50Hz
Max.Pump Height	25FT	7.6m
Max.Pump Rate	1800GPH	7000l/h
Max.Grain Size(mm)	1/5INCH	5mm
Lowest Pump Starting Level	1INCH	25.4mm
Lowest Pump Starting Level	1/2INCH	12.7mm

## Feature

- Integrated compact low-gravity design
- Octopus bionics design enhances product aesthetics
- Copper wiring Energy-efficient PSC motor with thermal overload protection
- Corrosion-resistant, reinforced thermoplastic construction
- 3/4" garden hose adaptor
- Non-return valve prevents water backflow
- UL listed



**CORROSION  
RESISTANCE**



**AUTOMATIC**



**SPECIAL  
MATERIAL**



**WIDE APPLICATION  
RANGE**



**UL**



***03 Vacuum Cleaner***





- Dust-Free Emptying
- Bigger Capacity
- Powerful Cleaning
- Lightweight & Versatile
- Cordless Performance



# KSW11PRO

High Speed Brushless

## Model Comparison

<i>Model</i>	<i>KSW11PRO</i>
<i>Nominal Rate(w)</i>	<i>350</i>
<i>Noise(db)</i>	<i>≤78</i>
<i>Dust Collector(ml)</i>	<i>450</i>
<i>Brush Rolling Speed(m/min)</i>	<i>80000Rpm/min</i>
<i>Max Vacuum Degree(Kpa)</i>	<i>30Kpa</i>
<i>Charging Time(h)</i>	<i>≈5H</i>
<i>Duration</i>	<i>max.gear ≥20min, Medium gear ≥40min, min.gear ≥65min</i>
<i>Self-Drive</i>	<i>yes</i>
<i>Steam Mode</i>	<i>no</i>
<i>Gear Position</i>	<i>3</i>
<i>Battery Specification</i>	<i>8*2500mA 12C</i>
<i>Packing Size</i>	<i>43.5x33x18.5cm</i>
<i>Qty in carton box</i>	<i>3pcs</i>
<i>Master carton box size</i>	<i>45x35x59</i>
<i>Master carton box gross weight</i>	<i>14kg</i>
<i>Qty/40HQ</i>	<i>2259pcs</i>



***04 Pet Cleaner***





Hair Free



Large Vacuum  
Container




30KPa  
powerful Suction



Low Noise



Hair Collected



Hair Sucked

## JWS002

Pet Hair Vacuum Groomer

### Model Comparison

Model	JWS002
Nominal Rate(w)	300
Noise(db)	≤78
Dust Collector(ml)	270
Brush Rolling Speed(m/min)	80000Rpm/min
Max Vacuum Degree(Kpa)	30Kpa
Charging Time(h)	≈5-5.5H
Self-Drive	yes
Steam Mode	no
Gross Weight(Kg)	4
Packing Size(cm)	44x19x34
Qty(20GP/40GP/40HQ)	1014/2094/2376



***05 Accessory***





# ***DUCKBILL NOZZLE***

Variable Spraying Water Types



Long Duckbill Nozzle



Standard Duckbill Nozzle




Short Duckbill Nozzle

Spraying Water Type 0°~120°



## NOZZLE

Multifunctional Nozzle




# NOZZLE

6 in 1 Foam Nozzle




360°



# MOPPING BRUSH



Mopping Brush



Coral Fleece  
Car-washing Cloth



Chenille  
Car-washing Cloth

## 360° Nozzle

VARIABLE SPRAYING WATER TYPES  
AND FULL-ANGLE SPRAYING





**D01** Short Duckbill Nozzle



**D02** Standard Duckbill Nozzle



**D03** Long Duckbill Nozzle



**N01** 360° Nozzle



**N02** 360° Duckbill Nozzle



**N03** 360° Multifunctional Nozzle



**N04** Short Multifunctional Nozzle



**N05** Long Multifunctional Nozzle



**NF10** 6 in 1 Foam Nozzle



**MB10** Mopping Brush



**E10** Extension Lance



**G10** Valve Gun



**F01** Foam Nozzle



**F02** Foam Nozzle



**F03** Foam Nozzle



**QC03** Quick Connector



**UC01** Universal Connector



**R15** Charger



**R26** Charger



**S01** Low Pressure Hose



**S02** Low Pressure Hose



**S03** Low Pressure Hose



**H01** High Pressure Hose

## ACCESSORY SERIES



**H02** High Pressure Hose



**H03** High Pressure Hose  
(Flexible Hose)



**WF01** Water Filter



**WF02** Water Filter



**WF03** Water Filter



**QC01** Quick Connector



**QC02** Quick Connector

## High Pressure Hose



## Detergent Tank



## Inlet Water Pipe



## Spray Gun





